



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE

United States Patent and Trademark Office

Address: COMMISSIONER FOR PATENTS

P.O. Box 1450

Alexandria, Virginia 22313-1450

www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/620,184	07/15/2003	Mitsuru Ozono	35857	8698
116 7590 02/22/2008 PEARNE & GORDON LLP 1801 EAST 9TH STREET SUITE 1200 CLEVELAND, OH 44114-3108				
EXAMINER				
OSILE, MARK A				
ART UNIT		PAPER NUMBER		
1791				
MAIL DATE		DELIVERY MODE		
02/22/2008		PAPER		

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Office Action Summary

Application No.

10/620,184

Applicant(s)

OZONO ET AL.

Examiner

Mark A. Osele

Art Unit

1791

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --
Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 23 November 2007.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1,2 and 5-11 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1,2 and 5-11 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- 1) ☐ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☐ Information Disclosure Statement(s) (PTO-8508)
Paper No(s)/Mail Date _____

- 4) ☐ Interview Summary (PTO-413)
Paper No(s)/Mail Date _____
- 5) ☐ Notice of Informal Patent Application
- 6) ☐ Other: _____

DETAILED ACTION

Claim Rejections - 35 USC § 103

1. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

2. Claims 1-2 and 11 are rejected under 35 U.S.C. 103(a) as being unpatentable over U.S. Patent 6,709,543 (Kurosawa) in view of either U.S. Patent Publication 2001/0029088 (Odajima et al.) or U.S. Patent Publication 2003/0070517 (Tsujimoto). Kurosawa shows a method and apparatus for picking up a semiconductor chip adhered to a sheet by using a pick up head comprising: a sheet exfoliating step for abutting a suction surface of a sheet exfoliation mechanism, 24a, 24b, 24c, against a lower surface of the sheet, 22, and for performing vacuum-sucking through the suction surface thereby to exfoliate the sheet from the semiconductor chip, 1 (See Fig. 16); and a sucking and holding step of sucking and holding an upper surface of the semiconductor chip from the sheet by the pick-up head, 10, to pick up the semiconductor chip (column 13, lines 45-50), wherein in the sheet exfoliating step, the semiconductor chip, 1, adhered to the sheet, 22, is bent and deformed using only a vacuum suction force in a continuous bent range from an outer peripheral portion of one side of the chip to an outer peripheral portion of another side of the chip to exfoliate the sheet from a lower surface of the semiconductor chip (See Figs. 19A, 20A, 21A; column

17, lines 13-27, 35-45). Kurosawa fails to show bent range is set in a direction with a predetermined angle of about 45 degrees with respect to a side of the chip.

Odajima et al. shows that tapes can be removed from a wafer with an angle either aligned with an edge of the chips (Fig. 5a) or aligned with the diagonal of the chips from a corner thereof (Fig. 5b). This diagonal angle is 45° respective to the side of the chips. Tsujimoto teaches that it is advantageous to peel adhesive tapes from the corners of chips to avoid breaking the chips (paragraphs 0009 and 0013). It would have been obvious to one of ordinary skill in the art at the time the invention was made to set the bent range in a direction with a predetermined angle of about 45 degrees with respect to the side of the chip of Kurosawa because because Odajima et al. teaches that peeling tapes from chips at either a 45 degree angle or a 90 degree angle with respect to the side of a chip are functionally equivalent alternate expedients and Tsujimoto teaches that peeling a tape from a chip at a 45 degree angle with respect to the side of a chip lessens the chance of breaking a chip.

3. Claims 1-2 and 5-11 are rejected under 35 U.S.C. 103(a) as being unpatentable over Japanese Patent Publication 2001-118862 (Akira) in view of U.S. Patent 6,709,543 (Kurosawa) and either U.S. Patent Publication 2001/0029088 (Odajima et al.) or U.S. Patent Publication 2003/0070517 (Tsujimoto). Akira shows a method and apparatus for picking up a semiconductor chip, 3a, adhered to a sheet, 1, by using a pick up head, 4a, the apparatus comprising: a holding table for holding the sheet, 1, a sheet exfoliation mechanism, 8a, with a suction surface includes a plurality of grooves, 7a,

and a boundary portion which partitions the adjacent grooves wherein the boundary portions are abutted against a lower surface of the sheet, 1, and support the sheet during vacuum-sucking through the suction surface to exfoliate the sheet from the semiconductor chip, 3a (See Fig. 3). Akira fails to show the semiconductor chip to be bent.

Kurosawa teaches that it has become desirable to make semiconductor chips thin in order to fit into thin packages (column 2, lines 6-10) and that thin semiconductor chips are deformed together with the adhesive sheet when suction is applied to the sheet to exfoliate the sheet from the chip (column 2, lines 17-22, 30-45). It would have been obvious to one of ordinary skill in the art at the time the invention was made to use thin semiconductor chips in the apparatus of Akira because Kurosawa teaches the demands of industry for thin chips. Furthermore, the thin chips of the references as combined would be deformed along with the adhesive sheet using only vacuum suction force during the exfoliation vacuum-sucking step of Akira as shown by Kurosawa.

Kurosawa also shows the conventional arrangement of a sheet exfoliation mechanism located beneath a sheet holding table and moving the sheet exfoliation mechanism upward to abut against the adhesive sheet (Figs. 18A, 19A, 20A). It would have been obvious to one of ordinary skill in the art at the time the invention was made to locate the sheet exfoliation mechanism of Akira beneath the sheet holding table because this conventional arrangement allows for movement of all portions of the sheet over the exfoliation mechanism to exfoliate all of the chips from the adhesive sheet.

Odajima et al. shows that tapes can be removed from a wafer with an angle either aligned with an edge of the chips (Fig. 5a) or aligned with the diagonal of the chips from a corner thereof (Fig. 5b). This diagonal angle is 45° respective to the side of the chips. Tsujimoto teaches that it is advantageous to peel adhesive tapes from the corners of chips to avoid breaking the chips (paragraphs 0009 and 0013). It would have been obvious to one of ordinary skill in the art at the time the invention was made to set the bent range in a direction with a predetermined angle of about 45 degrees with respect to the side of the chip of the references as combined because because Odajima et al. teaches that peeling tapes from chips at either a 45 degree angle or a 90 degree angle with respect to the side of a chip are functionally equivalent alternate expedients and Tsujimoto teaches that peeling a tape from a chip at a 45 degree angle with respect to the side of a chip lessens the chance of breaking a chip.

Regarding claims 7 and 8, the semiconductor chip of the references as combined is rectangular and corner portions of the chip are not positioned directly above the boundary portions.

Regarding claim 9, Kurosawa further shows a plurality of different exfoliating tools for different types of semiconductor chips. It would have been obvious to one of ordinary skill in the art at the time the invention was made to make the exfoliating tools of the references as combined freely interchangeable on the exfoliation mechanism to make the apparatus flexible as different chips or adhesive sheets are used without requiring a completely different apparatus for each type of chip.

Response to Arguments

4. Applicants' arguments filed November 23, 2007 have been fully considered but they are not persuasive. Applicants first argue that neither Odajima et al. nor Tsujimoto is combinable with Kurosawa. Applicants' reasoning is that Odajima et al. teaches away from the invention of Kurosawa because Odajima et al. teaches that using pins to lift a chip can result in breakage. Although Odajima et al. suggests using a different apparatus and technique, one of ordinary skill in the art reviewing the entire disclosure and drawings of Odajima et al. (Figs. 5a and 5b) would have understood that rotating the chips 45° is equivalent to placing the side of the chips in line with the peeling direction. Whether or not Odajima et al. suggests against using pins, the showing of rotational equivalence is not obviated.

Applicants also argue that Tsujimoto does not teach that the peeling the protective sheet at a 45-degree angle lessens the chance of breakage. Attention is directed toward paragraph 0013 of Tsujimoto which states, "it is preferable to employ a method in which the protective sheet is peeled diagonally from the chips, and by doing so, breakage and damage to the chips can be avoided..."

In addition, the newly added limitation that the exfoliating occurs using only the vacuum suction force is believed to be met by the combination of references as it is the vacuum suction force, not the force of the pins, which separates the chip from the tape of Kurosawa. Similarly, Akira, which has a suction surface without pins, employs only a vacuum suction force to separate the chip from the tape.

Conclusion

5. Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Mark A. Osele whose telephone number is 571-272-1235. The examiner can normally be reached on M-F 10:00-6:30.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Philip Tucker can be reached on 571-272-1095. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 1791

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Mark A Osele/
Primary Examiner, Art Unit 1791
February 19, 2008